Geophysical Research Abstracts Vol. 19, EGU2017-10327, 2017 EGU General Assembly 2017 © Author(s) 2017. CC Attribution 3.0 License.



## Mass-balance modelling of Ak-Shyirak massif Glaciers, Inner Tian Shan

Ekaterina Rets (1), Martina Barandun (2), Egor Belozerov (3), Dmitry Petrakov (3), and Alena Shpuntova (3) (1) Water Problems Institute Russian Academy of Sciences, Moscow, Russian Federation (retska@mail.ru), (2) Department of Geoscience, University of Fribourg, Fribourg, Switzerland, (3) Department of Geography, Lomonosov Moscow State University, Moscow, Russian Federation

Tian Shan is a water tower of Central Asia. Rapid and accelerating glacier downwasting is typical for this region. Study sites – Sary-Tor glacier and Glacier No.354 are located in Ak-Shyirak massif, Naryn headwaters. Sary-Tor was chosen as representative for Ak-Shyirak (Ushnurtsev, 1991; Oledeneniye TianShanya, 1995) for direct mass-balance measurements in 1985-1991. Glacier No.354 was an object of direct mass-balance measurements for 2011-2016. An energy-balance distributed A-Melt model (Rets et al, 2010) was used to reconstruct mass-balance for the glaciers for 2003-2015. Verification of modelingresults showed a good reproduction of direct melting measurements data on ablation stakes and mass loss according to geodetic method. Modeling results for Glacier No. 354 were compared to different modeling approach: distributed accumulation and temperature-index melt (Kronenberg et al, 2016)