



Corrigendum to “Air-sea exchange and gas-particle partitioning of polycyclic aromatic hydrocarbons in the Mediterranean” published in Atmos. Chem. Phys., 14, 8905–8915, 2014

M. D. Mulder¹, A. Heil^{2,*}, P. Kukučka¹, J. Klánová¹, J. Kuta¹, R. Prokeš¹, F. Sprovieri³, and G. Lammel^{1,4}

¹Masaryk University, Research Centre for Toxic Compounds in the Environment, Brno, Czech Republic

²Helmholtz Research Centre Jülich, Institute for Energy & Climate Research, Jülich, Germany

³CNR, Institute for Atmospheric Pollution Research, Rende, Italy

⁴Max Planck Institute for Chemistry, Mainz, Germany

* now at: Max Planck Institute for Chemistry, Mainz, Germany

Correspondence to: G. Lammel (lammel@recetox.muni.cz)

Figure 2 in Sect. 3.3 on p. 8912 did not show a colour bar and the two maps were erroneously swapped. The correct figure is shown here.




Figure 2. Spatial pattern of fire-related $\text{PM}_{2.5}$ emissions (Global Fire Assimilation System GFASv1.0; Kaiser et al., 2012) for the East Mediterranean ($28\text{--}45^\circ\text{N}/8\text{--}30^\circ\text{E}$), (a) time integral of 10–26 August, (b) time integral of 27 August–12 September 2010, given as sum over each period in mg m^{-2} . Areas with no observed fire activity are displayed in white. Temporal pattern of domain-integrated (c) daily total $\text{PM}_{2.5}$ emissions over 2010 and (d) yearly total $\text{PM}_{2.5}$ emissions over 2003 to 2012. Labelled in red is (c) the period of the Urania cruise (27 August–11 September 2010) (d) and the year 2010.